

**Πιστοποίηση
καθαρότητας του νερού**

**Υπουργείο
Υγειονομικών
Υπηρεσιών
Καλιφόρνιας**

State of California
Department of Public Health
Water Treatment Device
Certificate Number
12 - 2157

Date Issued: December 18, 2012

<u>Trademark/Model Designation</u>	<u>Replacement Element(s)</u>
IMPERIAL M	CAM1255
IMPERIAL P	CAM1254
CAMELOT V	CAM1254

The water treatment device(s) listed on this certificate have met the testing requirements pursuant to Section 116830 of the Health and Safety Code for the following health related contaminants:

Microbiological Contaminants and Turbidity

Cysts

Organic Contaminants

Trihalomethanes
VOCs

Alachlor
Atrazine
Benzene
Carbofuran
Carbon Tetrachloride
Chlorobenzene
Chloropicrin
2,4-D
DBCP
o-Dichlorobenzene
p-Dichlorobenzene
1,2-Dichloroethane
1,1-Dichloroethylene
cis-1,2-Dichloroethylene
trans-1,2-Dichloroethylene
1,2-Dichloropropane
cis-1,3-Dichloropropylene
Dinoseb

Inorganic/Radiological Contaminants

Lead

Endrin
Ethylbenzene
EDB
Haloacetonitriles (HAN)
Bromochloroacetonitrile
Dibromoacetonitrile
Dichloroacetonitrile
Trichloroacetonitrile
Haloketones (HK)
1,1-Dichloro-2-Propanone
1,1,1-Trichloro-2-Propanone
Heptachlor
Heptachlor Epoxide
Hexachlorobutadiene
Hexachlorocyclopentadiene
Lindane
Methoxychlor
Pentachlorophenol

Simazine
Styrene
1,1,2,2-Tetrachloroethane
Tetrachloroethylene
Toluene
2,4,5-TP (Silvex)
Tribromoacetic Acid
1,2,4-Trichlorobenzene
1,1,1-Trichloroethane
1,1,2-Trichloroethane
Trichloroethylene
Trihalomethanes (THMs)
Bromodichloromethane
Bromoform
Chloroform
Chlorodibromomethane
Xylenes

Rated Service Capacity: Over 1.000 up to 4.000 gallons (3.785 up to 15.000 liters) or 1 year, dependent on conditions of use, whichever comes first.

Rated Service Flow: 0.7 gpm

Do not use where water is microbiologically unsafe or with water of unknown quality, except that systems certified for cyst reduction may be used on disinfected waters that may contain filterable cysts.